



EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/4629/161/02/23/0328

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer : **Shoes For Crews(Europe)Limited**
4135 Atlantic Avenue, Westpark Business Campus Shannon Co,
Clare
Ireland

Description

PPE Type : *a safety footwear*
Product reference : **Bonnie CT**
Article code : **78393**
Construction and material of outsole : **CEMENT, EVA/RUBBER SOLE**

Pictures :



78393			
USA	UK	EU	CM
7	4.5	37.5	24

Shoes For Crews (Europe) Limited
4135 Atlantic Avenue Westpark Business
Campus Shannon, Co. Clare, Ireland
78393 Bonnie CT
EN ISO 20345:2022
S3L FO SR
Made in China
= XX/20XX
Code: WBOX-XX/XX

CE UK CA

Reference standard : **EN ISO 20345:2022**
Classification : **I** **Category :** **S3L FO SR**
Size range : **USA4-9/ UK3-8/ EU36-42/ CM22-27**
Toecap nature : **Non Metallic** **Insert nature :** **Non Metallic**

At the date of certificate the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 01 dated from FEBRUARY 2023 and the user instructions index 2023-2-24.

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by

Didier GUISADO
Certification Manager

Date of first issue : 28 February 2023
End of validity date : 28 February 2028



In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.



www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctctyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

Shoes For Crews(Europe)Limited

MANUFACTURER'S TECHNICAL FILE

Reference of the product: Bonnie CT

Article code: 78393

Technical file index: 01

Last update: FEBRUARY 2023

IDENTIFICATION

Reference of the product:	Bonnie CT
Article Code:	78393
Technical file index :	01
Last update :	FEBRUARY 2023

Manufacturer

Shoes For Crews(Europe)Limited
4135 Atlantic Avenue, Westpark Business Campus Shannon Co, Clare
Ireland
Tel : 0049 173 737 8740

Factories

R.G FOOTWEAR (CAMBODIA) CO., LTD.
Andoung Village, Baek Chan Commune, Angsnoul District, Kandal Province, Kingdom of
Cambodia
Cambodia
Tel : +855 10 245 488

L.Y.FOOTWEAR (CAMBODIA) CO., LTD.
Andoung Village, Baek Chan Commune, Angsnoul District, Kandal Province, Kingdom of
Cambodia
Cambodia
Tel : +0889709325

Liyuen Footwear manufacturing Co., Ltd
No.9#, Industrial Road, Nantou Town, ZhongShan, Guangdong
China
Tel : 0760-23122558
Fax : 0760-23122598

Dongguan Duhao Shoes Co.,Ltd.
3 / F, No. 26, Shang Tun Shangjiao Road, Houjie Town, Dongguan City, Guandong PR
China
Tel : 13925380154

FOOTWEAR DESCRIPTION

Footwear description

The classification of this footwear is I : Footwear made from leather and other materials, excluding all-rubber or all-polymeric footwear.

The design of this footwear is A : low shoe.

Visual description

General view :



Outsole view :



Reference of the mould : SROS-904

Range of sizes

USA4-9/ UK3-8/ EU36-42/ CM22-27

Construction and material of outsole

CEMENT, EVA/RUBBER SOLE

Field of use

Safety shoes suitable for every use and type of work (building & construction, airport, hospital, servicing, mechanical industry, logistic & packaging) for mechanical risks

Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)

		Applicable	Covered by	
§1	Requirements defined in the Annex II §1 are applicable to all PPE	☒	☒	Standard
			☒	Instruction for use
			☒	Marking
§1.4	Manufacturer's instructions and information is available	☒	☒	Standard
			☒	Instruction for use
				Marking
§2.2	PPE is designed and manufactured in a way that perspiration resulting from use is minimised. Otherwise it must be equipped with means of absorbing perspiration.	☒	☒	Standard
			☒	Instruction for use
				Marking
§2.4	If it is known that the design performance of new PPE may be significantly affected by ageing, the month and year of manufacture and/or, if possible, the month and year of obsolescence must be indelibly and unambiguously marked on each item of PPE placed on the market and on its packaging.	☒	☒	Standard
			☒	Instruction for use
			☒	Marking
§2.9	PPE incorporating components which can be adjusted or removed by the user	☒	☒	Standard
			☒	Instruction for use
				Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	☒	☒	Standard
			☒	Instruction for use
			☒	Marking
§2.14	Multi-risk PPE	☒	☒	Standard
			☒	Instruction for use
			☒	Marking
§3.1.1	The PPE is intended to protect against impact caused by falling or ejected objects and collisions of parts of the body with an obstacle	☒	☒	Standard
			☒	Instruction for use
				Marking
§3.1.2.1	The PPE is intended to protect against falls due to slipping	☒	☒	Standard
			☒	Instruction for use
			☒	Marking
§3.2	The PPE is intended to protect against static compression of a part of the body	☒	☒	Standard
				Instruction for use
				Marking
§3.3	The PPE is intended to protect against mechanical injuries	☒	☒	Standard
			☒	Instruction for use
			☒	Marking

FOOTWEAR CONSTITUTION

	Reference	Material	Color
UPPER	SFC-KXU01	POLYESTER MICROFIBER	BLACK
COLLAR	SFC-KXU01	POLYESTER MICROFIBER	BLACK
TONGUE	SFC-KXT01	PU	BLACK
VAMP LINING	SFC-KXL01	100% POLYESTER MESH	PURPLE
QUARTER LINING	SFC-KXL01	QUARTER LINING : 100% POLYESTER MESH	PURPLE
	SFC-KXL02	HEEL AREA LINING : POLYESTER MICROFIBER	BLACK
INSOLE	KX-ISL01	INSOLE 1; FOREPART : PAPER BOARD	WHITE
INSOCK	KX-ISK01	BK POLYESTER MESH + EVA FOAM REMOVABLE & PERFORATED	PURPLE/BLACK
OUTSOLE	SROS-904	EVA/RUBBER	GREY/BLACK
TOE CAP	604	COMPOSITE TOECAP	GREEN
INSERT	KX-ISL02	INSOLE 2/ INSERT:FULL FOOT: COMPOSITE INSOLE	WHITE/BLUE

PROTECTION SCOPE

Basic requirements

This product has been designed to be a safety footwear.

The applicable basic requirements are detailed in the following standard(s):

- EN ISO 20345:2022 Safety footwear

This product is a category II PPE.

At the date of the certificate, the product is in compliance with Annex XVII of the European REACh regulation (n° 1907/2006 and revisions)

Additional requirements

The claimed additional requirements are :


- Closed seat region
- Cleated outsole
- Perforation resistance (non-metallic insert type PL)
- Antistatic footwear
- Energy absorption of seat region
- Slip resistance (ceramic tile with glycerine)
- Upper : Water penetration and absorption of upper material
- Outsole : Fuel oil resistance

MARKING - PACKAGING

Information marked on the footwear

- * Logo of the Manufacturer
- * Logo **CE**
- * Manufacturer's name or commercial brand
- * Manufacturer's postal address
- * Manufacturer's type designation
- * Size
- * At least year and month of footwear manufacture
- * The number and year of the applicable specific standard(s)
- * The appropriate codes of marking according to the applicable requirements and additional protection and performance claimed

Marking example



The location of the marking is : Tongue label heat transfer to the tongue inside
 Method of marking on the footwear: Heat Transfer

Packaging

1 pair in 1 inner box, 12 pairs in 1 carton

References of test reports performed in order to verify the compliance with the requirements of the technical rules:

Laboratory	Reference
CTC	D220611859_2
CTC	D220713956_1
CTC	D220816257_1
CTC	D220816823_1
CTC	D220918503_1
CTC	D230100286_1

MEANS OF CONTROL

We control the quality as per follow:

1. All materials incoming should be inspected by Incoming Quality Control department. Any change of materials should be confirmed by engineering department after passed the test, if there are any unconformity with the original sample, the materials will be rejected.
2. Engineering department design the working instruction for every working station of cutting, sewing, injection and packing, the instructions should be made according to EN standard EN ISO 20345:2022 and client's requirements; all workers should be work as per these instructions.
3. The first sample should be approved by manager of factory before begin production for every order.
4. We'll spot-check the products in each working station. Any unconformity against the instruction will be fed back to technician who will improve the process through adjust the equipment or training workers.
5. The process formula should be strictly stable, we check it three times per day.
6. Packing: production department should make the first sample of packing and send it to Manager for approval, Quality Control department will spot-check them before and after production.
- 7 All products should be inspected strictly before outgoing.
- 8 in order to control the quality of mass production well, we will make the test of impact/compress/anti puncture for size S/M/L per every 5000 pairs, and make the test of slip resistant/anti static/abrassion resistant of sole/Leather Cr VI for size M additionally per every 10000 pairs.Please attach an example of the marking in this area

PPE subject to ageing :

The design performance of this product can be affected by ageing. The peremption period is estimated at 3 years when stored in appropriate conditions (humidity, temperature, clean , ventilated, light). Before use, the footwear shall be visually controlled, in case of deterioration the footwear must be scrapped (abrasion, cut, tear...).

Declaration of conformity :

The EU declaration of conformity can be accessed on the website: <https://www.sfceurope.com/uk/default.aspx>